

*WildCAD*  
System  
Administrator  
Guide  
Version 5.0.8

Bighorn Information Systems  
September 2013

## TABLE OF CONTENTS

<b>INTRODUCTION.....</b>	<b>1</b>
<b>INSTALLATION OF WildCAD 5.0.8 .....</b>	<b>2</b>
Typical Installation Checklist .....	5
Creating a Training Copy of WildCAD .....	6
Types of Installations .....	6
<b>SUPERVISORY MODE.....</b>	<b>8</b>
File Menu .....	8
<b>CENTER OPERATIONS .....</b>	<b>8</b>
Center Information .....	8
Configure WildCAD .....	9
Phone List Categories .....	12
Dispatchers .....	13
Edit Dispatchers .....	13
Reset Dispatcher Password .....	14
Dispatcher Time Categories .....	15
Sub Administrator Access .....	16
Edit Links Menu .....	17
Whiteboard Categories .....	18
Daily Log Categories .....	18
Edit RAWs Stations .....	19
Text/Email .....	20
Configure Text/Email .....	20
Edit Text/Email Addresses .....	21
Edit Groups .....	21
Edit Preset Messages .....	22
<b>RESOURCES .....</b>	<b>23</b>
Units .....	23
Sub Units .....	24
Dispatch Locations .....	25
Line Up Groups .....	26
Resource Types .....	27
Resources .....	28
Administrator Station Dispatch Priority .....	31
Rotation Builder .....	32
<b>RESPONSE AREAS .....</b>	<b>33</b>
Response Level Areas .....	33
Response Areas .....	34
<b>DISPATCH.....</b>	<b>35</b>
Response Types .....	35
Incident Types .....	35
Incident Sub Types .....	36
Response Levels .....	37
Dispatch Strategies .....	38
Copy Dispatch Strategy .....	42
Report Dispatch Strategies .....	43
Resource Status .....	44
<b>CONFIGURE INCIDENT TABS .....</b>	<b>46</b>
Build Batch Comments .....	46
Sequence Batch Comments .....	47

## TABLE OF CONTENTS


Area Notifications .....	48
Frequencies .....	49
Frequency Types .....	49
Default Frequencies .....	49
Incident Number Types .....	50
Move Ups .....	51
Contracts .....	52
Contract Types .....	52
Contract Sub Types .....	52
Fires Tab .....	53
Categories .....	53
Pull Down Lists .....	54
ICP Phone Categories .....	54
Questions .....	55
Aviation Report .....	56
<b>Maps .....</b>	<b>57</b>
GIS Parameters .....	57
Specify GIS Layers .....	58
Build Place Names Shape File .....	60
Build VOR Shape File .....	60
Build Dispatch Locations Shape File .....	61
Shape File from Text File .....	61
Build Milepost Shape File .....	62
Build Incident Shape File .....	62
Build Hazard Shape File .....	63
Place Names .....	64
Map Locations (VOR/ATB/Lookouts) .....	66
Hazards .....	66
<b>IMPORTS .....</b>	<b>67</b>
Configure ALDS Lightning .....	67
Import USGS Place Names .....	68
Import USGS Place Names with Decimal Lat/Long .....	69
Download RAWs Stations .....	70
Download Updated VOR List .....	72
Import Mile Post Information .....	73
<b>INFORMATION SHARING .....</b>	<b>75</b>
WildWeb .....	75
WildShare .....	76
Resources to View .....	76
Center to View .....	76
<b>DATABASE MANAGEMENT .....</b>	<b>77</b>
Auto Backups .....	77
Repair and Compact Database .....	78
Validate NWCG Unit IDs .....	79
Merge Databases .....	80
Archive .....	81
Check for Newer Version of WildCAD .....	82
<b>TROUBLESHOOTING .....</b>	<b>83</b>

**TABLE OF CONTENTS**

### INTRODUCTION

The purpose of this document is to assist the System Administrator with the initial setup and subsequent maintenance of WildCAD. Dispatchers who will use WildCAD should refer to the WildCAD User Guide for information on how to operate the software.

The Guide follows the System Administrator Menu (Sys Admin)<sup>1</sup>. These menu items are in the order you normally follow as you prepare WildCAD for your use



If you follow this Guide and perform the steps in the order listed, you should have no trouble.

It is assumed that the System Administrator is proficient with Microsoft Windows and knows how to complete such tasks as installing software from a USB Drive, using Windows Explorer, creating shortcuts, and copying files. The System Administrator should also know how to manage the network, or should have access to someone with network skills.

Please feel free to contact Bighorn Information Systems at any time as you work with WildCAD. The best way to reach us is always through the WildCAD Support site:  
<http://wildcadsupport.net/>

---

<sup>1</sup>The Sys Admin menu will not be visible unless you have entered the Supervisory password, as explained under Center Operations.

# INSTALLATION OF WildCAD 5.0.8

### OBJECTIVE:

The System Administrator will be able to install WildCAD onto the laptop being used for training.

### NARRATIVE:

You will need Administrator privileges on your laptop in order to proceed.

#### Step 1: Install from USB Drive

To initially install WildCAD, insert the WildCAD USB Drive into a USB port, and execute the file called: "SetupWildCADServer7.exe".



You will see several typical installation dialog forms, including one which asks for the installation folder ("directory"). The default is "C:\WildCAD\". For consistency among centers, this folder is recommended, although any other folder will work.

The setup program SetupWildCADServer7.exe does a number of things.

It creates a subfolder beneath WildCAD called "WorkstationSetup" and places the following files into it:

- SetupWildCADWorkstation7.exe
- SetupWS4B.exe (Setup WorkStation for 32-bit Windows)
- SetupWildPDF7.exe (Setup WildCAD PDF Printer)

Every computer which will run WildCAD must then execute both of these programs while Admin rights are enabled, including the WildCAD Base Computer if it will run WildCAD. That is because these programs install "System Files" onto the computers which are required in order to run WildCAD.

Next, download or copy WildCAD.exe into the \WildCAD folder.

#### Step 2: Run SetupWildCADWorkstation7.exe

Navigate to the WorkstationSetup folder beneath the WildCAD folder, and execute SetupWildCADWorkstation7.exe (or, SetupWS5B.exe for 32-bit Windows). Accept all defaults.

#### Step 3: Run SetupWildPDF7.exe

Navigate to the WorkstationSetup folder beneath the WildCAD folder, and execute SetupWildPDF7.exe. Accept all defaults.

### Step 4: Install empty database

WildCAD's setup program, by design, does not install an empty database, in order to prevent the accidental overwriting of your production database. Your USB Drive contains a file called WildCAD.new, which is a renamed, empty WildCAD datanbase.

Copy WildCAD.new from the USB Drive to your \WildCAD folder, and then rename it to be: WildCAD.mdb.


### Step 5: Create a Shortcut

Create a "shortcut" on the desktop to WildCAD.exe.

### Step 6: Grant read/write privileges to all users to the WildCAD folder

With Admin rights, grant read/write rights to all users for the \WildCAD and folder where WildCAD.exe and WildCAD reside. Do this by:

- Start My Computer (Windows Explorer)
- Right-click on the folder \WildCAD
- Select Properties, and then go to the "Security" tab
- Select "Users" in the top list
- Click "Allow" to the right of "Full Control"
- Click, "Apply" and "OK".



### Step 7: Start WildCAD, and check version

Use your shortcut to start WildCAD.  
Check the version on click:

**Utilities => About WildCAD**



### Step 8: Grant read/write privileges to all users to the \WCADtemp folder

With Admin rights, grant read/write rights to all users for the C:\WCADtemp folder. Do this by:

Start My Computer (Windows Explorer)  
Right-click on the folder \WCADtemp  
Select Properties, and then go to the "Security" tab  
Select "Users" in the top list  
Click "Allow" to the right of "Full Control"  
Click, "Apply" and "OK".

Note: the first time you started WildCAD, this folder was created.



### ***Typical Installation Checklist***

- ☐ Obtain Admin rights
- ☐ Install SetupWildCADServer7.exe onto laptop or other data-entry computer.
- ☐ Run SetupWildCADWorkstation7.exe (or, SetupWS4B.exe for 32-bit Windows) and SetupWildPDF7.exe on the data-entry computer.
- ☐ Copy WildCAD.exe into the installation folder (default: C:\WildCAD)
- ☐ Grant read/write rights to all users for the installation folder (default: C:\WildCAD)
- ☐ Copy and rename the WildCAD database as instructed by Bighorn personnel
- ☐ Create desktop shortcut to WildCAD.exe
  
- ☐ Create Supervisory Password
- ☐ Setup-Center Information
  
- ☐ Resources Preparation (Units, Dispatch Locations, Line Up Groups, Resource Types)
- ☐ Responding Resources
- ☐ Response Level Areas
- ☐ Response Areas
- ☐ Batch Comments, and Sequence
- ☐ Dispatch Strategies
  
- ☐ Test Incidents
- ☐ Print Normal Response Reports, review
  
- ☐ Configure Network
  
- ☐ Obtain Admin rights
- ☐ Install SetupWildCADServer7.exe onto laptop or other data-entry computer.
- ☐ Run SetupWildCADWorkstation7.exe (or, SetupWS4B.exe for 32-bit Windows) and SetupWildPDF7.exe on the data-entry computer.
- ☐ Copy WildCAD.exe into the installation folder (default: C:\WildCAD)
- ☐ Copy WildCAD.mdb from data-entry computer
- ☐ Grant read/write rights to WildCAD folder on Base Computer to all users
- ☐ Grant read/write rights to C:\WCADtemp folder on each PC to all users
  
- ☐ PLSS database
- ☐ PLSS GIS Layer
- ☐ Response Area Layer
- ☐ (optional) Land Status/Ownership Layer
- ☐ Other GIS Layers
- ☐ Setup - Center Information (GIS information)

### ***Creating a Training Copy of WildCAD***

Many Centers using WildCAD create a copy of WildCAD and make it available for training purposes. Dispatchers can practice using WildCAD without impacting actual Center operations.

Initially establishing a training copy of WildCAD requires you to complete the following steps:

1. Create a folder called "Training" right beneath the \WildCAD folder on your WildCAD Base Computer (e.g. W:\WildCAD\Training\)
2. Copy WildCAD.exe, WildCAD.mdb, and your BISPLS\*.mdb from the \WildCAD folder into the \WildCAD\Training\ folder.
3. Copy the entire GIS\ folder which is right beneath the \WildCAD\ folder into the \WildCAD\Training\ folder, becoming \WildCAD\Training\GIS\.
4. Create a second shortcut on every workstation pointing to the WildCAD Base Computer \WildCAD\Training\WildCAD.exe, and rename it to be "WildCAD Training".
5. Start this new Training Version of WildCAD, go to Sys Admin => Center Operations => Center Information and change the Center Name so that it includes the complete word "Training".

Whenever a dispatcher starts the training version, the screen background will be an ugly green!

Whenever you update GIS files or WildCAD.exe, make sure to copy them into this Training folder.

Also, every now and then, you could copy your WildCAD.mdb into the Training folder, thereby giving the training version a more recent (and clean) starting point.

### ***Types of Installations***

The WildCAD program, all WildCAD data, and your GIS files will reside on what we call the "WildCAD Base Computer". This can be:

- One computer on the floor in dispatch
- A remote server
- A NAS (Network Attached Storage) device, such as a Snap Server

### **Networking**

All PCs running WildCAD need to be networked to the WildCAD Base Computer. All users will need full read/write permission to the WildCAD Base Computer, and to the C:\WCADtemp folder on their local PC.

### **GIS**

WildCAD uses a programming add-in called Map Objects, from ESRI. WildCAD uses a UTM projection, and can display:

- Shape Files
- Image files (.TIF, .JPG, or .SID)

You will need the following mandatory layers – one shape file for each, covering your entire dispatch area:

- PLSS
- Response Areas
- An image file “base map”

WildCAD can display ownership or DPA information if you have such a shape file. Other shape files are optional.


## SUPERVISORY MODE

### File Menu

#### File => Enter Supervisory Mode

Enter the Supervisory Mode, which causes the System Administration (Sys Admin) menu to become visible.

Note: WildCAD automatically exits you from Supervisory Mode after 10 minutes of inactivity.




## CENTER OPERATIONS

### Center Information

#### Sys Admin => Center Operations => Center Information

Much initial setup information is entered on this screen



Center ID: CA-FICC    Official Center ID: CASBCC    Default Unit ID: BDF

Center Name: Federal Interagency Communications Center    ☒ Center is a GACC

Passwords:

Sys Admin Password:    Sub Admin Password:

☐ Implement Dispatcher Passwords

SWFRS Interface (only southern Sierra Units):

☒ None    ☐ Production

Other Specific Centers:

☐ AZ State Info    ☐ RADCOM    ☐ Close Send

**Dispatch Center ID** Enter the dispatch center identifier (e.g. CA-FICC).

**Official Center ID** Enter the dispatch center official identifier (e.g. CASBCC).

**Default Unit ID** Enter the Unit identifier for the unit in your Center which will have the most frequent Incidents in WildCAD (e.g. BDF).

**Center Name** Enter the name of the center.

**Center is a GACC** Only check you are a GACC.

## WildCAD 5.0.8 System Administrator Guide

**Sys Admin Password** Enter the Supervisory password.

**Sub Admin Password** Enter the Sub-Supervisory password.

**Implement Dispatcher Password** Check this to require a dispatcher password.

**SWFRS Interface (only Southern Sierra Units)** Check to enable the upload to SWFRS.


### Other Specific Centers

- **AZ State Info** Check to enable the special data entry for Arizona State Lands Department.
- **RADCOM** Check to enable the interface with the RADCOM law enforcement system.
- **Close Send Screen** Choice only if using the RADCOM interface.

When done entering data on this form, close it with the "x" in the top right corner.

## Configure WildCAD

Sys Admin => Center Operations =>  
Configure WildCAD

A screenshot of the 'Configure WildCAD' dialog box. The dialog has a title bar with a close button. It is divided into several sections. On the left, under 'System Administrator Choices:', there is a list of checkboxes: 'Allow Edit of Status Date/Time On Incidents' (checked), 'Allow Edit of Daily Log Entries' (checked), 'Allow Edit of Incident IC Tab' (unchecked), 'Allow Edit of Incident Log' (checked), 'Allow Removal of Resource from Incident' (checked), 'Block Format Incident Log' (unchecked), 'Allow Changing Incident Dispatcher' (checked), 'Show Resource GROUPS on F7 Status' (checked), 'Show New L.E. Button on F7 Status' (checked), 'Allow F11 New LE' (checked), 'Incident Reports Show Timer Details' (checked), and 'UseWildShare' (unchecked). To the right of these are input fields for 'Numbers:' with columns for 'Unit(s):' and 'Last Incident #:', containing 'SQF' and '33' respectively. Below this is a 'Fire #s By:' section with radio buttons for 'Center' (selected) and 'Unit', and a 'Last Center Fire #' field with the value '2'. Further right is a 'Who Responds First From a Station?' section with radio buttons for 'Home Resources' (selected) and 'Visiting Resources'. Below these are sections for 'Lat/Lon Format for Incident Report:' with radio buttons for 'Decimal Degrees' (selected) and 'Degrees, Dec Mins', and 'Incident Report Shows Resource Details:' with radio buttons for 'Never', 'Always', and 'Dispatcher Choice' (selected). At the bottom left are 'Incident Log Wrap:' and 'Daily Log Wrap:' sliders with values '73' and '110' and 'Def' buttons. At the bottom right are 'F9 Inc Type:' (set to 'N/A'), 'Auto Timer for LE:' (radio buttons for 'No' (selected), 'Prompt', 'Always'), and 'LE Timer When:' (set to 'On Scene').

### System Administrator Choices:

- **Allow Edit of Status Date/Time On Incidents** If you check this box, your Dispatchers will be able to edit status date and times on Incidents.
- **Allow Edit of Daily Log Entries** If you check this box, your Dispatchers will be able to edit the Daily Log entries.
- **Allow Edit of Incident IC Tab** If you check this box, your Dispatchers will be able to edit the IC Tab on Incidents.
- **Allow Edit of Incident Log** If you check this box, your Dispatchers will be able to edit Incident Log entries.
- **Allow Removal of Resource from Incident** Check to allow Dispatchers to remove resource(s) from an Incident, and delete all Action History for those resource(s).
- **Block Format Incident Log** Check to indent Incident Log Details (comments) blocked in line with the Details column heading.
- **Allow Changing Incident Dispatcher** Check to allow.
- **Show Resource Groups on F7 Status** Checking this will add group headers (e.g. "Engines") to the Resource Status screen.
- **Show New L.E. Button on F7 Status** Checking this will display a "NEW L.E." button when a resource is selected on the Resource Status screen
- **Allow F11 New LE** Check to enable the F11 key.
- **Incident Reports Show Timer Details** Check to have the Incident Report show all timer details for timers associated with the Incident.
- **UseWildShare** Uncheck to disable WildShare, helpful if remote server is down.

**Incident Log Wrap and Daily Log Wrap** use the sliders to set the number of characters before wrapping to the next line. Use DEF buttons to restore the default settings.

### Numbers:

- **Unit(s)** Automatically load base on the information entry under Sys Admin -> Resources -> Units
- **Last Incident #** For each group of units, enter the last incident number. The next incident number assigned by WildCAD will be this number plus

one, and the number will then be automatically incremented. This is where you reset the Incident Numbers at the start of the year by entering 0 here so that the next number assigned will be 1.

- **Fire # By Center or Unit Select** By selecting Center the Fire # will be assigned by Center; by selecting the Unit the Fire # will be assigned by Units identified in the information entry under Sys Admin -> Resources -> Units.
- **Last Center Fire #** WildCAD allows Fire Numbers to be assigned in sequence. Set the last used Fire Number here. Reset to 0 annually.

**Number of Response Levels Used:** Set the # of Response levels used in the Center.

**Who Responds First From a Station?** Tell WildCAD which Resources at a station should go first – those normally based there, or those visiting.

**Lat/Lon Format for Incident Reports:** Choose the desired format.

**Incident Report Shows Resource Response Details:** Select the desired approach.

**Columns on Resource Status Screen (default 5):** Change the default number 5 if you find that you need fewer, but wider, columns on the F7 screen in order to display the entire Resource ID.

**F9 New Incident Type:** Choose the Incident Type to be selected (by default) when starting a new Incident.

**Auto Timer for LE:** Check to automatically start a new timer when a Law Enforcement Officer is placed in the status indicated in the box **LE Timer When**.


**When done entering data on this form, close it with the "x" in the top right corner.**

## Phone List Categories

**Sys Admin => Center Operations => Phone List Categories**

WildCAD's phone directory allows you to enter phone numbers and addresses for all kinds of people, offices, and vendors.

As you enter information for a person, it might be useful to indicate the office that person is from, the type of position, agency, etc. We call these "phone list categories".



In the example shown above, the System Administrator has created three phone list categories: Personnel, Offices, and Cooperators. Whenever a record (person) is added to the phone directory, that person can be specified as being, e.g. "Fire" personnel at the "Hume Lake District".

Create these categories by entering a category name in the top box, and then typing a selection for that category below the list, and finally hitting the "Save" button.


The screenshot shows the 'Phone List Categories' window. It has a title bar with the text 'Phone List Categories' and a close button. The window is divided into three main sections: 'Personnel', 'Offices', and 'Cooperators'. Each section has a top box for the category name and a list box below it. The 'Personnel' section has 'Fire Administrative' in the list. The 'Offices' section has 'Headquarters' and 'Hume Lake District' in the list. The 'Cooperators' section has 'Cal Fire', 'KNP', and 'SNF' in the list. Below each list box are 'Clear' and 'Save' buttons. There are also 'Clear' and 'Save' buttons at the bottom of the window.



### Dispatchers

#### Edit Dispatchers

Sys Admin => Center Operations => Dispatchers => Edit Dispatchers



WildCAD allows you to create a list of dispatchers, and indicate the dispatcher for each Incident.

**Enter the Dispatcher's full name and initials.**

**Select a Unit:** If you do that, then each time that Dispatcher starts a new Incident, that Unit will be assigned.

**Sequence numbers** here, and throughout WildCAD, are used merely to control the order in which items appear later in the software.

**Select a "QBColor"** to specify the color in which this dispatcher's Incidents will be listed on the F8 Incident screen.

**LE Authorized** Set TRUE if dispatcher is authorized to view and manage Law Enforcement Incidents.


**IRWIN Authorized** Set TRUE if dispatcher is authorized to initiate data exchanges with IRWIN.

**Turn a Dispatcher's Active Status** to "False" if he or she leaves the Center. You can edit the entries of this table but for archival reasons you cannot delete an entry.

Dispatchers									
	Describe	Initials	Unit	Sequence	QBColor	Italics	LE_Authorized	IRWIN_Authorized	Active
▶	Aaron Gelobter	AG	SQF	10	Black	FALSE	TRUE	FALSE	TRUE
	Brian Booher	B3	SQF	20	Blue	FALSE	TRUE	FALSE	TRUE
	Jim Bailey	JB	SQF	30	Gray	FALSE	FALSE	FALSE	TRUE
	Ray Nichol	RN	SQF	40	Cyan	FALSE	FALSE	FALSE	TRUE
	Bill Mitchell	BM	SQF	5	Black	FALSE	FALSE	FALSE	TRUE
*									

## WildCAD 5.0.8 System Administrator Guide

The printer icon at the top left of many of these forms may be used to prepare a printable report. Click on it and you will see:




Click again on the printer icon at the top of this screen and the report will be sent to the printer.

Note that the name of the text file containing this report is shown at the top of the form. The "ID" column in this report is a hidden field in the database, and is a "record number" for your dispatchers.

### Reset Dispatcher Password


Sys Admin => Center Operations => Dispatchers => Reset Dispatcher Password



### Dispatcher Time Categories

WildCAD allows you to track Dispatcher hours spent on various activities. To do so, first create a list of those activities you want to track:

**Sys Admin => Center Operations => Dispatchers => Dispatcher Time Categories**



	Describe	Sequence	Purged
	LE Support	10	FALSE
	ROSS	20	FALSE
	Fire Reports	30	FALSE
*			


**Describe** is the entry of the activities to being preform.

**Sequence numbers** here, and throughout WildCAD, are used merely to control the order in which

**Purged** Set TRUE to eliminate this Time Category.


## Sub Administrator Access

Sys Admin => Center Operations => Dispatchers =>Sub Administrator Access





Will allow access to a subset of the Sys Admin menu items including but not limited to:

- Managing Back=ups
- Lightning
- Phone list



### *Edit Links Menu*

Sys Admin => Center Operations => Edit Links Menu





In the “Add New” block, you can add new Groups (categories for the menu), Web URLs, or Files accessible from the workstations. Use “Edit Existing” to edit menu items.

Change the order of items on the Links menu with “Move Up” and “Move Down”.

### Whiteboard Categories



Sys Admin => Center Operations => Whiteboard Categories



Create the categories you want to display on your Whiteboard dropdown menu. If you want EVERY whiteboard entry in a certain category to show on WildWeb, change "OnWildWeb" to TRUE. Caution – you will then want to be careful about what information goes into the Whiteboard!

### Daily Log Categories

Sys Admin => Center Operations => Daily Log Categories




Create the categories you want to display on your Whiteboard dropdown menu. Note: do not change the "General" category – it is where WildCAD posts many items such as Incident and Resource information.

Set Active to False to discontinue the use of a Category

## Edit RAWS Stations


Sys Admin => Center Operations => Edit RAWS Stations



RAWS Stations					
	RAWSI	Lat	Lon	Include	StationName
▶	TSHC1	36.4914	118.8253	TRUE	ASH MOUNTAIN
	BPKC1	35.8819	118.0756	TRUE	BEAR PEAK
	BEVC1	35.1397	118.625	TRUE	BEAR VALLEY
	BKRC1	36.0936	118.2611	TRUE	BLACKROCK
	BKGC1	35.4506	118.5839	TRUE	BRECKENRIDGE
	CSWC1	36.4108	118.8092	TRUE	CASE MOUNTAIN
	CGVC1	36.7878	118.6561	TRUE	CEDAR GROVE
	TR174	35.6625	118.0256	TRUE	CLASS III 1-C WALKER PASS
	TR518	35.7097	117.9719	TRUE	CLASS III 16-C (BLUE MAX)
	DEMC1	35.5317	118.6303	TRUE	DEMOCRAT
	FMRC1	35.8711	117.9183	TRUE	FIVE MILE
	FTNC1	35.8911	118.9156	TRUE	FOUNTAIN SPRINGS
	HTRC1	36.5625	117.4736	TRUE	HUNTER MOUNTAIN
	IWLC1	35.685	117.8894	TRUE	INDIAN WELLS CANYON
	JWBC1	35.295	118.2267	TRUE	JAWBONE
	JSNC1	35.9706	118.5408	TRUE	JOHNSONDALE
	TPHC1	35.0822	118.5811	TRUE	KRN01
	TMNC1	35.0714	118.4811	TRUE	KRN02
	TS663	35.6117	118.405	TRUE	KRN04
	LRLC1	35.4783	117.6992	TRUE	LAURAL MOUNTAIN
	MOLC1	36.2319	118.8706	TRUE	MILO
	IDPC1	36.8425	118.2594	TRUE	OAK CREEK
	QORC1	36.1753	118.7017	TRUE	OAK OPENING
	OPLC1	35.1542	117.1756	TRUE	OPAL MOUNTAIN
	INTC1	36.1203	117.0878	TRUE	PANAMINT
	PRGC1	36.7242	118.9425	TRUE	PARK RIDGE
	PEPC1	36.0733	118.5414	TRUE	PEPPERMINT
	PVC1	35.4456	118.2789	TRUE	PIUTES
	KRNC1	35.7775	118.4328	TRUE	RIVERKERN
	SHQC1	36.5672	118.9556	TRUE	SHADEQUARTER
	SQSC1	35.3683	117.5703	TRUE	SQUAW SPRINGS
	UHLC1	35.8867	118.6483	TRUE	UHL
	QNYC1	35.6658	118.0569	TRUE	WALKER PASS
	WFHC1	35.7217	118.4989	TRUE	WOFFORD HEIGHTS
	WVTC1	36.445	118.7033	TRUE	WOLVERTON
*					

This list of RAWS stations is used by WildCAD to display closest weather from three locations: WX button on the map, WX button on an Incident, and View => Weather.

### Text/Email



### Configure Text/Email

Sys Admin => Center Operations => Text/Email =>Configure Text/Email

A screenshot of the 'Configure Text/Email' dialog box. The 'Email Server Type:' section has three radio buttons: 'WildCAD Default, no authentication' (selected), 'CA-AAG@WildCAD.us email provided by Bighorn', and 'Customized Email Server'. Below the first option, there are text fields for 'SMTP Server' (smtp.fs.fed.us), 'Server Port (blank=25):' (0), and 'Email From:' (gholder@fs.fed.us). Below the second option, there is a text field for 'Email From:' (gholder@fs.fed.us). Below the third option, there are text fields for 'SMTP Server' (smtp.fs.fed.us), 'Server Port (blank=25):' (0), 'Email From:' (gholder@fs.fed.us), 'UserName:', and 'Password:'. At the bottom, there is a text field for 'Default Cell Email Domain:' (@vtext.com).

### Email Server Type:

- WildCAD Default, no authentication
- XX-XXX@WildCAD.us email provided by Bighorn
- Customized Email Server

**Default Cell Carrier Email Domain** enter the default Email Domain.

**When done entering data on this form, close it with the "x" in the top right corner.**




### Edit Text/Email Addresses

**Sys Admin => Center Operations => Text/Email =>Edit Text/Email Addresses**

WildCAD allows dispatchers to send emails from the Utilities Menu. As System Administrator, you create a list of names and email addresses.

Reminder – you must enter a valid “SMTP Server Address” and “From” email address on the Center Information screen for WildCAD to be able to send emails.




EmailName	EmailAddress
Brian Booher	bbooher@bighorn.info
Aaron Gelobter	agelobter@bighorn.info
Jim Bailey	jbailey@bighorn.info
Ray Nichol	rnichol@bighorn.info
Pete Masiel	pmasiel@bighorn.info
*	

### Edit Groups

**Sys Admin => Center Operations => Text/Email =>Edit Groups**

To make it easier to send Email/text messages to groups of people, you may create named Groups ahead of time. Type a group name in the bottom left and click “Save”. Then, select the Group from the list in the top left, and select those Email Addresses to be included.



Groups:

Email Addresses to Include:

- Aaron Gelobter (agelobter@bighorn.info)
- Brian Booher (bbooher@bighorn.info)
- John Green (jagreen@fs.fed.us)
- Jim Bailey (jbailey@bighorn.info)
- Ray Nichol (rnichol@bighorn.info)


Delete

Bighorn Team

Add


### Edit Preset Messages

Sys Admin => Center Operations => Text/Email =>Edit Preset Messages



The screenshot shows a dialog box titled "Preset Email Messages (Subject: Body)". It has a "Message" field and a "Subject" field. The "Message" field is empty, and the "Subject" field contains a question mark. There is a small icon in the top left corner of the dialog box.

Enter the SUBJECT followed by a colon, then the body of the message. In the body, you put a question mark wherever you want the user to fill something in.



The screenshot shows the same dialog box, but now the "Message" field contains the text "Medical Aid: Patient - ? Sex - ? Age - ? Injury - ? At - ? Transported to - ? Via - ?". The "Subject" field still contains a question mark. The small icon in the top left corner is still present.


## RESOURCES

### Units

**Sys Admin => Resources => Units**

**Unit Code** – for each Unit, enter a complete description.

**Incidents** – - Does your Center handle incidents for this agency? If so, select "TRUE". If not, leave it showing "FALSE".



Unit Code	Describe	Incidents	IncNumSet	StateCode	LastFireNum	NWCG UnitID	Agency
SQF	Sequoia NF	TRUE	0	CA		CASQF	USFS
SNF	Sierra NF	FALSE	0	CA			USFS
KNP	Sequoia & Kings NP	FALSE	0	CA			NPS
FKU	Fresno Unit -CalFire	FALSE	0	CA			State
TUU	Tulare Unit -CalFire	FALSE	0	CA			State
INF	Inyo NF	FALSE	0	CA		CAINF	USFS
*							

**IncNumSet** – controls how Incident numbers are assigned. Agencies which share a common incident numbering system are all assigned to the same Incident Number Set. Suppose the SQF, and KNP units each need their own sequential numbering block. In that case, specify "0" for one agency, and "1" for another. Although it is traditional to use separate blocks of numbers, and to rely on the number itself as a count of incidents, it is strongly recommended that you break from that tradition and use a single block of numbers for all agencies in your center. Reports from WildCAD will give you the desired incident counts, so you can stop relying on the actual Incident number. It becomes problematic in WildCAD when you, for example, need to "void" an incident.

**StateCode** – add a state identifier to Incidents for this Agency in various WildCAD reports.

**LastFireNum** – Set last fire number assigned.


**NWCG UnitID** – Enter Unit ID matching the NWCG standard.

**Agency** – For each Unit, use the pull down menu to select the Agency.


Unit Code	Describe	Incidents	IncNumSet	StateCode	LastFireNum	NWCG UnitID	Agency
SQF	Sequoia NF	TRUE	0	CA		CASQF	USFS
SNF	Sierra NF	FALSE	0	CA			NPS
KNP	Sequoia & Kings NP	FALSE	0	CA			Private
FKU	Fresno Unit -CalFire	FALSE	0	CA			State
TUU	Tulare Unit -CalFire	FALSE	0	CA			Tribal
INF	Inyo NF	FALSE	0	CA		CAINF	USFS
*							

## Sub Units

Sys Admin =>Resources => Sub Units



Forest Service uses Sub Units to identify the Districts for purposes of tracking the fires occurring on the District on the Fires tab of the Incident screen. Remember to reset the Last Fire Number at the beginning of the New Year, put a zero in the “Last Fire #” column.



## Dispatch Locations


### Sys Admin => Resources => Dispatch Locations

Enter an Initial Dispatch Location (IDL) code, a Description, the Latitude and Longitude.

Enter a Comment for future reference.

You may enter the latitude and longitude in many different formats. WildCAD uses a comma to separate degrees, minutes, and seconds. A decimal is used to enter decimal values. Examples:

39.5 means 39 and one half degrees (39 degrees 30 minutes)  
 39,15.5 means 39 degrees, 15.5 minutes (39 deg, 15 min, 30 sec)  
 39,15,30 means 39 degrees, 15 minutes, and 30 seconds



Initial Dispatch Locations							
	Describe	Lat	Lon	Comment	AutoRoute	EarthUse	IDLCode
▶	Pinehurst Station	36.6965	119.0165	SQF	FALSE	FALSE	PINE
	Hume Lake District Office	36.7589	119.1644	SQF	FALSE	FALSE	HUME
	Lakeshore Station	36.7933	118.9059	SQF	FALSE	FALSE	LAKE
	Ash Mtn. Station	36.4955	118.8175	KNP	FALSE	FALSE	ASH
	Cedar Grove Station	36.792	118.675	KNP	FALSE	FALSE	CEDAR
	Grant Grove Station	36.7391	118.9603	KNP	FALSE	FALSE	GRANT
	Lodgepole Station	36.6044	118.7265	KNP	FALSE	FALSE	LODGE
	Trimmer Station	36.9102	119.3026	SNF	FALSE	FALSE	TRIM
	Miramonte Station	36.67	119.0744	FKU	FALSE	FALSE	MIRA
	Squaw Valley Station	36.7485	119.2221	FKU	FALSE	FALSE	SQUAW
	Sand Creek Station	36.685	119.1645	FKU	FALSE	FALSE	SAND
	Piedra Station	36.815	119.3805	FKU	FALSE	FALSE	PIE
	Badger Station	36.6469	119.0137	TUU	FALSE	FALSE	BAD
	Woodlake Station	36.4985	119.1052	TUU	FALSE	FALSE	WOOD
	Hammond	36.4679	118.8543	TUU	FALSE	FALSE	HAM
	Fresno Air Tanker Base	36.7428	119.7192	FKU	FALSE	FALSE	FRESNO
	Porterville Air Tanker Base	36.03	119.063	SQF	FALSE	FALSE	PORT
	Peppermint Heliport	36.073	118.542	SQF	FALSE	FALSE	PEPPER
	Ash Mtn. Heliport	36.4955	118.8175	KNP	FALSE	FALSE	ASHMTPORT
	Trimmer Heliport	36.9102	119.3026	SNF	FALSE	FALSE	TRIMPORT
*							


After you enter the values, they will be converted to decimal degrees, which is how they are stored internally.

Leave AutoRoute blank (or False) for now.

Set EarthUse to True if you want WildWeb to show this Dispatch Location (more information later about WildWeb.)

## Line Up Groups

Sys Admin => Resources => LineUp Groups



You might want to start by creating a Line Up group for all of your own Resources. Or, create several if you receive morning status from Districts, Field Offices, etc. Create a separate one for each agency in your center if the morning Line Up comes in separately for each.


Next, create a Line Up group for each cooperator sending you morning status. Use the "Sequence" number to control the order of the "tabs" on the Line Up screen.

A screenshot of the 'Line Up Groups' window. It features a table with three columns: 'StatusGroupCode', 'Describe', and 'Sequence'. The table contains five rows of data, each with a small triangle icon in the first column. The last row has an asterisk in the first column, indicating a new entry. The window has a standard title bar and a toolbar with a printer icon.

	StatusGroupCode	Describe	Sequence
▶	SQF	Sequoia NF	10
	SNF	Sierra NF	30
	KNP	Sequoia & Kings NP	20
	FKU	Fresno Unit - CDF	40
	TUU	Tulare Unit - CDF	50
*			

### Resource Types

Sys Admin => Resources => Resource Types



Each Resource you add will belong to one of the Resource Types you use.

The Sequence number merely controls the order in which responding Resources are listed on the Incident screen.

In this example, any Engines will be shown first, followed by Crews, Dozers, etc. You can always change the sequencing once you see the effect as you start running incidents.

A screenshot of the 'Resource Types' window in WildCAD. The window contains a table with the following columns: Describe, Sequence, TimerMin, Code, IsAircraft, OnMap, and WAV\_File. The table lists various resource types with their respective sequence numbers, timer minutes, codes, and other attributes. A '\*' icon is visible in the bottom left corner of the table area.


Describe	Sequence	TimerMin	Code	IsAircraft	OnMap	WAV_File
Air Attack	70	15	AA	TRUE	FALSE	AA.wav
Air Tanker	60		AT	TRUE	FALSE	
Crew	20		CRW	FALSE	FALSE	
Dozer	30		DOZ	FALSE	TRUE	
Engine	10		ENG	FALSE	TRUE	
Helicopter	50	10	HEL	TRUE	FALSE	
LE Officer	110	4	LE	FALSE	FALSE	
Lead Plane	80		LP	TRUE	FALSE	
Overhead	100		OVH	FALSE	FALSE	
Prevention	90		PRV	FALSE	FALSE	
Water Tender	40		WTR	FALSE	FALSE	
*						

WildCAD allows you to set “Timers”, or reminders for Resources. The TimerMin entry is used as the default number of minutes for the Timer to run for each type of Resource. OnMap controls whether these Resources are shown on the Local Google Earth map.

The “WAV\_File” allows you to specify a unique Timer sound by type of Resource.

### Resources

Sys Admin => Resources => Resources



For this type of data entry screen, you will start with all fields being empty. You may enter the information, and when done, hit "Save". Hit "Clear" to clear the fields in preparation of entering new records.

A screenshot of the 'Resources' data entry window. The window has a title bar 'Resources' and standard window controls. The form contains several fields: 'Resource ID:' (text box), 'Description:' (text box), 'Unit:' (dropdown menu), 'Home Location:' (dropdown menu), 'Type:' (dropdown menu), 'Disp Seq:' (text box with '1'), 'LineUp Seq:' (text box), 'Line Up Group:' (dropdown menu), 'Purged (archived)' (checkbox), 'Foreign Res' (checkbox), 'Share Status with WildShare' (checkbox), 'List On Inc Rep' (checked checkbox), 'List On WildWeb' (checkbox), 'Share ID:' (text box), 'Resc Cat/Type:' (dropdown menu with 'N/A'), 'FI File' (checkbox), and 'Image:' (text box with an '=>' button). At the bottom, there are two radio buttons: 'Active Only' (selected) and 'Purged Only'. Below these are two rows of buttons: 'First', 'Previous', 'Next', 'Last', 'Print', 'Search Criteria' in the first row, and 'Clear', 'Save', 'Delete', 'Exit', 'Set Avail/Home', 'Begin Search' in the second row.



## WildCAD 5.0.8 System Administrator Guide

**Resource ID** Keep this as short as possible, since it will be displayed on numerous reports and lists. For example, use E31, not ENG31SQF

**Description** Type the name or description.

**Unit, Home Location, and Type** of resource and **Line Up Group** are Pull down lists you created earlier.

**Disp Seqc** means "Dispatch Sequence". For stations with more than one of the same type of Resource, you can control the Sequence = i.e. who goes first! Please be aware that cover Resources will automatically be dispatched *after* all "home" Resources have been sent.

**LineUp Seq** means "Line Up Sequence". You can control the *order in which Resources are listed* on the morning Line Up screen. This has nothing to do with the order in which they are dispatched - merely the appearance on the screen.

**Foreign Resource** If this is not one of your regular Resources, but is only here temporarily, Check the box to make it a Foreign Resource. That way, all dispatchers will be able to edit the screen for this Foreign Resource. Otherwise, only you as System Administrator can manipulate the records.

**List On Inc Rep** Check this box if you want this Resource listed on the printed Incident Reports.

**List on WildWeb** Unless this is checked, this Resource will not show on the internet reports from WildCAD called WildWeb.

**Share ID** Enter a complete identifier if you want to share status about this Resource with other WildCAD Centers. You must then also check **Share Status with WildShare**.

**Resc Cat/Type** Use the pull down menu to select the Resource Category/Type.

**Resources**

**Resource ID:** E31 **Description:** Engine 31 **Unit:** Sequoia NF

**Home Location:** Pinehurst Station **Type:** Engine

**Disp Seq:** 1 **LineUp Seq:** 10 **Line Up Group:** Sequoia NF

☐ Foreign Res ☒ Share Status with WildShare

☒ List On Inc Rep ☐ List On WildWeb **Share ID:** CASQF31

**Resc Cat/Type:** N/A

☐ FI File ☒ Engine Type 3/4/5

**Image:** engine.bmp

**EDIT 1**

☐ Active Only ☐ Purged Only

**Buttons:** First, Previous, Next, Last, Print, Search Criteria, Clear, Save, Delete, Exit, Set Avail/Home, Begin Search

## WildCAD 5.0.8 System Administrator Guide

**FI File** Check to have this Resource shown by default to use the law enforcement Field Interrogation File screen.

**Image** If you have placed a scanned image file in the WildCAD folder, place its filename here and click "=>" to view the image

**Comments** may be entered and edited in the space provided.

**Purged (archived)** Check this to "delete" the Resource. You can always "un=purge" it later!

### Search Functions

To search for Resources already in the database,

- First select the "Active Only" or the "Purged Only" buttons,
- Hit "Clear" to clear the form.
- Hit "Begin Search" to retrieve all of the Resources on file.
- Use "First", "Next", "Previous", and "Last" to move among the records.


To search for particular records, enter all or part of the Unit ID before hitting "Search". As one example, entering "E" will find all Resources whose ID starts with "E". You cannot delete resources from the database; only archive them so the resources do not appear as active Resources.

**Active Only** Select before searching to view Active (not Purged) Resources.


**Purged Only** Select before searching to view Purged Resources.

## ***Administrator Station Dispatch Priority***

**Sys Admin => Resources => Administrator Station Dispatch Priority**




To change the order in which Resources are dispatched, highlight one Resource and click “Up” or “Down”.



### ***Rotation Builder***

#### **Sys Admin => Resources => Rotation Builder**


WildCAD allows you to create many different "rotations", such as Engines, Crew, etc



To add a new rotation list, type its name in the bottom left, and click "Add". It will then be added to the list on the left.

Highlight it (to work with it), and then you may add the actual engines, crews etc which are to be rotated. Type them in the lower right, and click "Add=End" to add to the end of the list, "Add=Top" to insert at the top, or "Add=After Selected" to add after any item which is selected on the right.

In the example shown, engines are to be rotated: ENG72KNP, then ENG31SQF, then ENG41KNP, etc. You only list the complete list (in these case 7 items) once. WildCAD knows to start over once the bottom of the list is reached.




## RESPONSE AREAS

### *Response Level Areas*

Sys Admin => Response Areas => Response Level Areas




Create a list of Response Level Areas (RLA)



Each Response Area "lives" within one Response Level Area (RLA). If, in fact, the Response Area contains two or more RLAs, you should either divide the Response Area into more than one, or choose one RLA, which you are comfortable using to represent the fire danger in the entire Response Area.

## Response Areas

Sys Admin => Response Areas => Response Areas



AreaCode	Describe	Lat	Lon	Resp Level Area	Assoc Station	Comment	Active
12	Cedar Grove	36.7974	118.634	532	CEDAR	KNP DPA	TRUE
17	Stoney Creek	36.6817	118.8504	532	GRANT	SQF DPA	TRUE
18	Cherry Gap	36.7829	118.9586	532	LAKE	SQF DPA	TRUE
19	Kings River & Hwy 11	36.8118	118.7963	532	CEDAR	SQF DPA	TRUE
20	Camp 4	36.8589	119.1415	532	TRIM	SQF DPA	TRUE
21	Speical Managemen	36.8444	118.9963	532	TRIM	SQF DPA	TRUE
22	Monarch Wilderness	36.8263	118.7602	532	CEDAR	SQF DPA	TRUE
23	Monarch Wilderness	36.7829	118.8685	532	LAKE	SQF DPA	TRUE
24	Big Meadows	36.754	118.8144	532	LAKE	SQF DPA	TRUE
25	Jennie Lakes Wilder	36.6962	118.7783	532	LAKE	SQF DPA	TRUE
3	Chimney Rock	36.6528	118.8865	532	GRANT	KNP DPA	TRUE
4	Big Baldy	36.6962	118.865	532	GRANT	KNP DPA	TRUE
5	Grant Grove	36.7395	118.9586	532	GRANT	KNP DPA	TRUE
FKUG6	Owl Mountain	36.8589	119.2504	539	SQUAW	CDF DPA	TRUE
G2	Indian Hill	36.6417	119.0564	539	BAD	CDF DPA	TRUE
G5	Badger	36.6329	119.0048	539	BAD	CDF DPA	TRUE
G7	Whitaker Forest	36.6994	118.9484	539	PINE	SQF DPA	TRUE
G8	Eshom	36.6561	118.9304	539	BAD	SQF DPA	TRUE
G9	Redwood Creek	36.685	118.8764	532	GRANT	KNP DPA	TRUE
H1	White Deer Flat	36.7974	119.157	539	SQUAW	CDF DPA	TRUE
H6	Dunlap	36.7251	119.1029	539	SAND	CDF DPA	TRUE
H7	Miramonte	36.6962	119.157	539	MIRA	CDF DPA	TRUE
TUUG6	Shade Quarter	36.5694	118.9664	539	WOOD	SQF DPA	TRUE
Z1	Dellah	36.7829	119.1029	539	SQUAW	SQF DPA	TRUE
Z2	Pinehurst	36.7106	119.0127	539	PINE	SQF DPA	TRUE
*							

**AreaCode** It is crucial that the "Area Code" (ID) entered for each Response Area precisely matches the information in the Response Area GIS layer attribute table.

**Describe** Enter a name or description.

**Lat/Lon** As when entering lat/long earlier, you may use any combination of degrees, minutes, and seconds, with decimal portions. Use the comma to separate degrees, minutes, and seconds, and the period to enter decimal portions.

**Reps Level Area** Select the RLA for each Response Area from the pull=down list of RLA's you previously entered.

**Assoc Station** If you select an "Associated Station", then when Resources become "Available on Scene", their location will be set to this station for purposes of dispatch priority.


**Comment** Although you may enter Comments for the Response Area on this screen, it is recommended that you use Batch Comments instead.

**Active** Set to False for any Response Area no longer in use. It will be removed by WildCAD during the Archive process if it is no longer associated with any Incidents.

## DISPATCH

### Response Types

Sys Admin => Dispatch => Response Types



The screenshot shows the 'Response Types' window. It contains a table with two columns: 'RespTypeCode' and 'Describe'. The table lists three response types: FIRE, LAWENF, and MEDAID.


RespTypeCode	Describe
FIRE	Fire
LAWENF	Law Enforcement
MEDAID	Medical Aid
*	

### Incident Types

Sys Admin => Dispatch => Incident Types

The Incident Type Code cannot be edited but you can select which Types you want to display by selecting True or False in the "Include" column. Select a color for each Type to show on the "Open Incidents" screen.

You may specify default frequencies by Incident Type in the final 3 columns.




The screenshot shows the 'Incident Types' window. It contains a table with columns: IncidentTypeCode, Describe, RespTypeID, Sequence, Include, QBColor, DragStatus, Ground, Air, and Victor. The table lists 19 incident types.

IncidentTypeCode	Describe	RespTypeID	Sequence	Include	QBColor	DragStatus	Ground	Air	Victor
Wildfire	Wildfire	FIRE	1	TRUE	Blue	omitted	N/A	N/A	N/A
Strc Fire	Structure Fire	FIRE	2	TRUE	Black	omitted	N/A	N/A	N/A
Veh Fire	Vehicle Fire	FIRE	3	TRUE	Cyan	omitted	N/A	N/A	N/A
Smoke Chk	Smoke Check	FIRE	4	TRUE		omitted	N/A	N/A	N/A
Med Aid	Medical Aid	MEDAID	5	TRUE		omitted	N/A	N/A	N/A
Emerg Stby	Emergency Standby	-1	6	TRUE		omitted	N/A	N/A	N/A
Pub Asst	Public Assist	-1	7	TRUE		omitted	N/A	N/A	N/A
Law Enf	Law Enforcement	LAWENF	8	TRUE		omitted	N/A	N/A	N/A
Misc	Miscellaneous	-1	10	TRUE		omitted	N/A	N/A	N/A
Trfc Coll	Traffic Collision	-1	11	TRUE		omitted	N/A	N/A	N/A
Presc Fire	Prescribed Fire	-1	12	TRUE		omitted	N/A	N/A	N/A
A/C Down	Aircraft Down	-1	13	TRUE		omitted	N/A	N/A	N/A
Resc Order	Resource Order	-1	14	TRUE		omitted	N/A	N/A	N/A
Hazmat	Hazmat	-1	15	TRUE		omitted	N/A	N/A	N/A
S&AR	Search & Rescue	-1	16	TRUE		omitted	N/A	N/A	N/A
WFU	Wildland Fire Use	FIRE	17	TRUE		omitted	N/A	N/A	N/A
Aircraft	Aircraft	FIRE	18	TRUE		omitted	N/A	N/A	N/A
NatDisastr	Natural Disaster	-1	19	TRUE		omitted	N/A	N/A	N/A



## Incident Sub Types

Sys Admin => Dispatch => Incident SubTypes




Use the Incident Subtypes to display a more detailed definition of the Incident Type; you may list as many Subtypes as desired for each Type. The sequence is related to each Type so you may have different sequence runs in the table.

Incident SubTypes			
	IncidentTypeID	Sequence	Describe
▶	Law Enf	100	Public Safety: Citations
	Law Enf	200	Public Safety: Arrests
	Law Enf	300	Public Safety: Public Assists
	Law Enf	400	Public Safety: Disturbances
	Law Enf	500	Public Safety: Recreation Incidents
	Law Enf	600	Resource Violations: Wood Cutting
	Law Enf	700	Resource Violations: Litter
	Law Enf	800	Resource Violations: Fire Investigations
	Law Enf	900	Resource Violations: Fish & Wildlife
	Law Enf	1000	Resource Violations: Damaged Property
	Law Enf	1100	Assaults/Interface - : (All)
	Law Enf	1200	O.H.V.: (All)
	Law Enf	1300	Claims: Vehicle Accidents
	Law Enf	1400	Claims: Property Damage
	Law Enf	1500	Claims: Fire Collections
	Law Enf	1600	Search & Rescue: (All)
	Law Enf	1700	Other Agency Assist: (All)
*			



## Response Levels

Sys Admin => Dispatch => Response Levels




WildCAD allows you to develop standard responses based on up to six levels. Low, Moderate, and High (etc.) can be based on your choice of fire behavior or other factors, for each Fire Danger Rating Area. You may edit the Description of each Response Level to match the nomenclature you use in your center.

The screenshot shows the 'Response Levels' dialog box. It contains a table with the following data:

	Sequence	RespLevelCode	Describe
▶	1	Low	Low Response
	2	Mod	Moderate Response
	3	High	High Response
	4	2nd Al	2nd Alarm
	5	3rd Al	3rd Alarm
	6	4th Al	4th Alarm

## Dispatch Strategies

Sys Admin=>Dispatch=>Dispatch Strategy



You have the opportunity to develop dispatch strategies for different "Response Types", and at each "Response Level".

For now, we will focus on the "Fire" Response Type, which is used (as a default) for Vegetation Fire, Vehicle Fire, Structure Fire, and Smoke Check Incident Types. The left part of this screen, shown below, is used to select the Response Area (left). At the bottom, select the Response Type.

The screenshot shows the 'Priorities For Area 12 Cedar Grove' window. The window has a title bar and a menu bar. The main area is divided into several sections. On the left, there is a list of 'Areas' and 'Locations'. The 'Areas' list includes 12, 17, 18, 19, 20, 21, 22, 23, 24, 25, 3, 4, 5, FKUG6, G2, G5, G7, G8, G9, H1, H6, H7, TUUG6, Z1, and Z2. The 'Locations' list includes 0002 CEDAR, 0012 LODGE, 0013 LAKE, 0016 GRANT, 0019 PINE, 0020 ASH, 0020 BAD, 0022 HAM, 0023 MIRA, 0026 HUME, 0026 SAND, 0028 SQUAW, 0029 WOOD, 0033 TRIM, 0036 PIE, 0044 PEPPER, 0050 PORT, and 0052 FRESNO. In the center, there are buttons for '>>', '<<=', 'Up', 'Dn', and 'Undo'. On the right, there is a section for 'Based At PEPPER (Peppermint Heliport):' with a text box containing 'H522: Helicopter 522'. Below this is a 'Show Typical:' section with a table for 'Low' and 'High' response levels. The table has columns for 'Type', 'Low', 'Mod', 'High', '2nd AI', '3rd AI', and '4th AI'. The 'Type' column lists various response types: AA, AT, CRW, DOZ, ENG, HEL, LE, LP, OVH, PRV, and WTR. The 'Low' and 'High' columns have sub-columns for 'Mod' and '2nd AI'. At the bottom, there are fields for 'Copy Priorities:', 'Copy Quantity:', and 'Resp Type:' (set to 'Fire').

Type	Low	Mod	High	2nd AI	3rd AI	4th AI
AA						
AT						
CRW						
DOZ						
ENG						
HEL						
LE						
LP						
OVH						
PRV						
WTR						

## WildCAD 5.0.8 System Administrator Guide

We then establish the station *priority to be used* for searching for available Resources to send. In other words, for a “Fire” Response in Area 12, which Station would be first to send Resources? Which would be second?

We manually create the list of priorities. Initially, all Dispatch Locations will be in the left list. We highlight one, and then click the right arrow “=>” to move it into the Priority list. To move it to a particular spot, highlight an entry in the right list prior to clicking on the right arrow.

To help you decide station priorities, WildCAD displays the Stations in order of air miles from the Response Area, and those air miles are shown before the Station. For example, the Cedar Station is 2 miles away from Area 12.

In this example, the first priority for dispatching to Area “12” is station CEDAR.

To remove an item from the prioritized list, highlight it and click the left arrow. To move it up or down in the prioritization, click the up or down arrows.

**Priorities For Area 12 Cedar Grove**

**Areas**

- 12
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 3
- 4
- 5
- FKUG6
- G2
- G5
- G7
- G8
- G9
- H1
- H6
- H7
- TUUG6
- Z1
- Z2

**Locations**

**Priority**

- 0002 CEDAR
- 0013 LAKE
- 0016 GRANT
- 0019 PINE
- 0012 LODGE
- 0026 HUME
- 0020 ASHMTPORT
- 0020 ASH
- 0020 BAD
- 0023 MIRA
- 0028 SQUAW
- 0026 SAND
- 0036 PIE
- 0033 TRIMPORT
- 0033 TRIM
- 0029 WOOD
- 0022 HAM
- 0052 FRESNO
- 0050 PORT
- 0044 PEPPER

**Based At PINE (Pinehurst Station):**

E31: Engine 31  
P31: Prevention 31  
C3: Horseshoe Hot Shots

**Show Typical:**

Low	High
Mod	2nd AI

**High response to Area 12:**

☐ Incr ☒ Cumm

Type	Low	Mod	High	2nd AI	3rd AI	4th AI
AA			1	1		
AT			1			
CRW		2				
DOZ						
ENG	1	1		1		
HEL		1	1			
LE						
LP						
OVH		2				
PRV		1	1			
WTR						

**Copy Priorities:**

**Copy Quantity:**

**Resp Type:** Fire

## WildCAD 5.0.8 System Administrator Guide

The lower right part of the Dispatch Strategy screen deals with quantities of Resources to send.

A dispatch strategy merely states how many Resources, of each type, should respond to an incident in each Response Area. For example, if a fire is reported in "Area 12", how many engines should respond if the fire danger is "Low"? How many more should respond if the fire danger is "Moderate"? "High"?

In the case shown above, how many Engines are needed at a "High" response? The answer is 2.

Lastly, the upper right portion of this screen shows two kinds of information. Whenever we click on a station in one of the lists on the upper left, the top right portion of this screen will tell us those Resources which are normally based there. Suppose you have prioritized stations and listed quantities. If you want to see what the typical dispatch would look like, click on one of the Response Levels (Low, Mod, High, You can view the Cumulative ("Cumm") dispatch, or only the Incremental ("Incr") Resources sent beyond the prior Response Level.

The Dispatch Strategy is key to the successful automated dispatch within WildCAD. However, it is as much an art as a science, and will take some experience to make it work to your satisfaction. There is no substitute for dispatcher and management knowledge of the area and of the Resources.

Show Typical:

Low High  
Mod 2nd AI

High response to Area 12: ☐ Incr ☒ Cumm

AA15	E32	P51
AT100	H552	
C6	B31	
C3	D3	
E41	P32	

Type	Low	Mod	High	2nd AI	3rd AI	4th AI
AA			1			
AT			1			
CRW		2				
DOZ						
ENG	1	1		1		
HEL		1				
LE						
LP						
OVH		2				
PRV		1	1			
WTR						

## WildCAD 5.0.8 System Administrator Guide

You may copy a list of prioritized stations from one Response Area to another by first selecting the source Response Area and then clicking "Copy Priorities".

Type	Low	Mod	High	2nd AI	3rd AI	4th AI
AA						
AT						
CRW						
DOZ						
ENG						
HEL						
LE						
LP						
OVH						
PRV						
WTR						

You will see: Click "Yes" to copy the prioritization of stations. This is an extremely valuable shortcut. Develop the priority list for one Response Area, and then copy it for use as a neighboring Response Area. Then, make any needed adjustments.

WILDCAD

OK to Copy Priorities for Response Type Fire From Area 12?

Yes No

Clicking "Copy Quantity" will display. Click "Yes" and the quantities from Area 12 will be copied into the currently selected Response Area.


WILDCAD

OK to Copy Quantities for Response Type Fire From Area 12?


Yes No

## ***Copy Dispatch Strategy***

**Sys Admin => Dispatch => Copy Location Priorities**




After establishing the list of station priorities for each Response Area for the "FIRE" Response Type, you might want to copy all of those lists to another Response Type. You could then edit that list as needed. Use the "Copy Location Priorities" menu item on the Dispatch menu to accomplish this. Select the FROM and TO Response Type, and hit "OK".




## Report Dispatch Strategies

Sys Admin => Dispatch => Report Dispatch Strategies




You may also want to print a report of the priorities you have established. Select the desired Response Area(s), and hit OK.






## WildCAD 5.0.8 System Administrator Guide




### Resource Status

Sys Admin => Dispatch => Resource Status






The image shows a Windows-style dialog box titled "Resource Statuses". It contains a table with two columns: "StatusCode" and "Use". The table lists 17 status codes, all of which have "TRUE" in the "Use" column. The first row, "Standby", has a small triangle icon to its left. The dialog box has a standard Windows title bar with minimize, maximize, and close buttons.

StatusCode	Use
▶ Standby	TRUE
Delay30	TRUE
Avail Page	TRUE
Avail Inc	TRUE
Cover	TRUE
Overnight	TRUE
Avail Cell	TRUE
DO Avail	TRUE
DO InSvc	TRUE
DO OutSvc	TRUE
Unav-Mech	TRUE
Day Off	TRUE
InSvc Unav	TRUE
InSv Delay	TRUE
Avail Delay	TRUE


Although the Status Codes themselves are fixed, you may indicate which Resource Statuses should be used in your Center.




## CONFIGURE INCIDENT TABS

### *Build Batch Comments*

Sys Admin => Configure Incident Tabs => Build Batch Comments



Response Area comments are displayed whenever an Incident is being dispatched in WildCAD. There are two methods for entering comments. The first method is to enter comments on the Response Area entry/edit screen.



## WildCAD 5.0.8 System Administrator Guide

Batch comments are created by the System Administrator and can then be attached to one or more Response Areas.


To add a batch comment select the Response Type at the top right. Then type the comment into the blank area at the bottom of the screen, and hit the "Add" button. It will be added to the list of comments in the left half of the screen.

To associate a comment with one or more Response Areas, select the comment from the list on the left. You may then select those Response Areas on the right which should have this comment. In this example, 3 Response Areas are identified as being "Wilderness Areas", and that fact will be displayed when you are managing an incident for any one of those Areas.

To delete a batch comment, highlight it on the left, then hit the "Delete" key.


### Sequence Batch Comments

Sys Admin => Configure Incident Tabs => Sequence Batch Comments




After attaching Batch Comments to Response Areas, you may specify the order in which they will appear on the Incident screen and report.

Select a Response Type in the upper right, and a Response Area on the left to see a list of its Batch Comments on the right. Highlight one of those comments, and you may then move it "Up" or "Dn" using the buttons.



### Area Notifications


Sys Admin => Configure Incident Tabs => Area Notifications



To add an Area Notification select the Response Type at the top right. Then type the comment into the blank area at the bottom of the screen, and hit the "Add" button. It will be added to the list of notifications in the left half of the screen.

To associate a notification with one or more Response Areas, select the notification from the list on the left. You may then select those Response Areas on the right which should have this notification. In this example, 13 Response Areas are identified as needing "Duty Officer" notification, and that fact will be displayed by listing "Duty Officer" in red when managing an incident for any one of those Areas.


To delete an area notification, highlight it on the left, then hit the "Delete" key.



## Frequencies

### Frequency Types

**Sys Admin => Configure Incident Tabs => Frequencies => Frequency Types**



The Frequency Types menu lets you establish categories of Frequencies:

### Default Frequencies


**Sys Admin => Configure Incident Tabs => Frequencies => Default Frequencies**

Dispatchers are able to assign frequencies to an Incident in WildCAD. They can pick from a list of "commonly used frequencies" which you have created, or they may enter a different one. Then, use Default Frequencies to enter the actual Frequencies.

Default Frequencies		
FrequencyTypeID	Sequence	Describe
Ground	100	CH1-168.675
Ground	110	CH2-Tx170.575/Rc168.675 Tone 1 110.9
Ground	112	CH2-Tx170.575/Rc168.675 Tone 2 123.0
Ground	113	CH3-168.775
Ground	114	CH4-Tx170.600/Rc168.775 Tone 1 110.9
Ground	115	CH4-Tx170.600/Rc168.775 Tone 2 123.0
Ground	116	CH5-168.200 Crew Net
Air Tactics	101	169.150 AirTactics 2 SQF,KNP,Interagency
Air Tactics	120	170.000 Air/Ground
Air Tactics	130	168.650 National Flight Following
Victor	102	135.975
*		

## Incident Number Types

Sys Admin => Configure Incident Tabs => Incident Number Types




Use to create or edit the “Numbers” tab in the Incident screen.

A screenshot of the 'Incident Number Categories' window. It features a table with four columns: 'ID', 'Describe', 'UseAuto', and 'LastNumber'. The table contains 20 rows, with the first row having '1' in the ID column and 'Fire Number' in the Describe column. All 'UseAuto' values are 'FALSE'. The 'LastNumber' column is empty for all rows. A scroll bar is visible on the left side of the table.

ID	Describe	UseAuto	LastNumber
1	Fire Number	FALSE	
2		FALSE	
3		FALSE	
4		FALSE	
5		FALSE	
6		FALSE	
7		FALSE	
8		FALSE	
9		FALSE	
10		FALSE	
11		FALSE	
12		FALSE	
13		FALSE	
14		FALSE	
15		FALSE	
16		FALSE	
17		FALSE	
18		FALSE	
19		FALSE	
20		FALSE	

### Move Ups


Sys Admin => Configure Incident Tabs Dispatch => Move Ups



For preplanned move up:

- Select the Area, Response Type, Response Level
- Pick the resources to move
- Select the move up location
- Hit the "ADD" button

This will display on the Move up tab of the Incident Screen




### Contracts

Enter the Contract types then the Sub types. The information for the contractors is entered in the Edit- Contracts screen, and displayed on the Contracts tab of the Incident screen which shows proximity of the contractors and documents Fill/Decline/UTF information.

### Contract Types

Sys Admin => Configure Incident Tabs => Contracts => Contract Types



### Contract Sub Types

Sys Admin => Configure Incident Tabs => Contracts => Contract Sub Types




Contracts									
	Contract SubType	Name	Address	Phone	Equipment	Fee	License	Lat	Lon
▶	Ice: Other	Cold Delivery	5678 Main St	888-555-4321	Block, cube	\$200 + \$2/lb + miles	A43215	35.916	118.214
	Ice: Other	Frigid Friends	1234 Some St	800-555-1212	Block, cube	\$100 + \$1/lb + miles	C12345	44.218	121.1
	Porta Potties: Other	Pee Free	1503 Newport	800-555-9999	25 portables	\$100/day	D43261	37.395	122.014
*									



### Fires Tab

#### Categories

Sys Admin => Configure Incident Tabs => Fires Tab => Categories

A screenshot of the 'Fires Tab Categories' window in WildCAD. The window has a title bar with the text 'Fires Tab Categories' and standard window controls. Below the title bar is a toolbar with a printer icon. The main area contains a table with the following columns: 'TabName', 'Row #', 'Data', 'Sequence', and 'Describe'. The table is divided into two sections: 'Initial Report' (rows 1-20) and 'Fire Report' (rows 1-7). The 'Data' column contains values like 'Pull-down list', 'Free text', and '(Not Used)'. The 'Sequence' column contains values like 10 and 20. The 'Describe' column contains descriptions like 'Powerlines', 'Evacuation Areas', 'LE Status', and 'Urban Interface'.


TabName	Row #	Data	Sequence	Describe
Initial Report	1	Pull-down list	10	Powerlines
Initial Report	2	Free text	20	Evacuation Areas
Initial Report	3	(Not Used)		
Initial Report	4	(Not Used)		
Initial Report	5	(Not Used)		
Initial Report	6	(Not Used)		
Initial Report	7	(Not Used)		
Initial Report	8	(Not Used)		
Initial Report	9	(Not Used)		
Initial Report	10	(Not Used)		
Initial Report	11	(Not Used)		
Initial Report	12	(Not Used)		
Initial Report	13	(Not Used)		
Initial Report	14	(Not Used)		
Initial Report	15	(Not Used)		
Initial Report	16	(Not Used)		
Initial Report	17	(Not Used)		
Initial Report	18	(Not Used)		
Initial Report	19	(Not Used)		
Initial Report	20	(Not Used)		
Fire Report	1	Free text	10	LE Status
Fire Report	2	Pull-down list	20	Urban Interface
Fire Report	3	(Not Used)		
Fire Report	4	(Not Used)		
Fire Report	5	(Not Used)		
Fire Report	6	(Not Used)		
Fire Report	7	(Not Used)		

On the Fires Tab Categories screen above, fill in up to 20 Categories for Initial Report and up to 20 for Fire Information. Under "Data", select either "Pull=down list" or "Free text". Sequence the items, and provide a Description.

If you create a "Pull=down list" category, use the screen below to add/edit entries for the pull=down list. Select the Category, then Add/Delete entries.

### Pull Down Lists



Sys Admin => Configure Incident Tabs => Fires Tab => Pull Down Lists



### ICP Phone Categories


You can edit up to 6 Categories, but cannot delete the rows. Delete any entry in the Describe column to tell WildCAD to not use it.

Sys Admin => Configure Incident Tabs => ICP Phone Categories




### Questions

Sys Admin => Configure Incident Tabs => Questions




Enter a new "Question" in the lower left, click "Save", and then click on it in the list in the upper left. Finally, select those Incident Types which should display this question.




## Aviation Report

Sys Admin => Configure Incident Tabs => Aviation Report




The list of available information appears on the list. Select either TRUE or FALSE to indicate whether you want that item included.



### Maps

#### GIS Parameters

Sys Admin => Maps => GIS Parameters

A screenshot of the 'GIS Parameters' dialog box. It contains several sections: 'Projection Information' with radio buttons for 'All Layers Use UTM Zone: 11' (selected) and 'WildCAD should read Projection and Datum from .PRJ files', and a 'Datum' section with radio buttons for 'NAD 27', 'NAD 83' (selected), and 'WGS 84'. Below this are text fields for 'Full Extent GIS Layer Name: RESP.SHP', 'Resp Area GIS Layer Name: RESP.SHP', 'Response AreaID Field Name: DATA', and 'PLSS GIS Layer Name: plssqf11.shp'. A 'FileName of BIS PLS file:' field contains 'bisplscs.mdb'. The 'PLS Layer Type:' section has radio buttons for 'CA/AZ/WA' (selected), 'NV', 'ID', 'UT', 'CO', 'OR', 'MT', 'WY', 'MTKDC', 'IDMT2', 'ID2009', 'WI', and 'OREIC'. At the bottom, the 'Default Base Meridan:' field contains 'M'.

#### Projection Information

- **UTM Zone** Specify the UTM Zone number.
- **Datum** Select the GIS Datum to be used (probably NAD 83)

**Full Extent GIS Layer Name** Select one GIS layers cover to be the "full extent" of the area served by the dispatch center.

**Response Areas GIS Layer Name** The layer created for the Response Areas.

**Response Area ID Field Name** The name of the field which holds the Area ID in the Response Areal Layer.

**PLSS GIS Layer Name** The name of your PLSS GIS layer (in the WildCAD\GIS\ folder).

**FileName of BIS PLS File** Enter the name of the PLSS database provided to you by Bighorn Information Systems. It must reside in your WildCAD folder where WildCAD.exe is located.


**PLS Layer Type** Unfortunately, there are different standards in use for PLS layers across the country. To date, the CA/AZ/WA, NV, UT, ID, CO, OR, MT, WY, MTKDC, IDMT2, ID2009, WI, and OREIC formats are recognized by WildCAD.

**Default Base Meridian** Specify the code for the most commonly used Base Meridian.

### Specify GIS Layers

#### Sys Admin => Maps => Specify GIS Layers

WildCAD can display ArcView Shape Files and TIFF (or MrSID) Image Files. Use the SysAdmin, Map, Specify GIS Layers menu item to tell WildCAD about the GIS files you have. Recall that all of them must be stored in the WildCAD\GIS folder. A Shape File really consists of three files: .dbf, .shp, and .shx. A TIFF Image File includes the .TIF and .TFX. A MrSID file includes a .SID and .SDW file. All layers must be projected using UTM coordinates.



WildCAD is able to convert to and from the Public Land Survey System (PLSS) and lat/long or UTM.

In order to determine the legal description of a point on the map, WildCAD requires a GIS layer in the ArcView Shape File format. Bighorn Information Systems will provide this layer to you, if we receive original source layers from your agency. The layer will consist of three files, with extensions .dbf, .shp, and .shx. An example of the filename for all three might be "PLSSqf11".

These three files must be placed in the GIS folder beneath your WildCAD installation folder.

In addition, Bighorn will provide you with a database which is used to quickly convert from legal description to lat/lon or UTM. This file, an example of which is called "BISPLSNV.mdb", must be copied into your WildCAD installation folder.

Although you may have as many layers as you want, two layers are required for the proper operation of WildCAD:

1. The PLSS layer.
2. A Response Area layer which is a polygon layer where each polygon is attributed with a Response Area ID (text 6 characters). This layer may be called anything, and its .dbf, .shp, and .shx files must be placed into WildCAD's GIS folder on the WildCAD Base Computer. You will need to know the name of this layer, and the name of the database field which holds the Response Area ID.

### Optional Files - Additional GIS Layers

## WildCAD 5.0.8 System Administrator Guide


As stated above, you may have numerous other GIS layers for use in WildCAD. Each must be projected into your UTM zone, and each must be placed (.dbf, .shp, and .shx) into the WildCAD\GIS\ folder.

WildCAD can also view image files in the TIFF format, as long as they have been georeferenced to the correct UTM zone. TIFF files which are georeferenced for use in WildCAD will come in pairs. The first, containing the image itself, will have an extension of ".TIF", and the second, which contains spatial coordinates, will have the same filename with an extension of ".TFW". Both of these are placed into the WildCAD\GIS\ folder. TIFF files which have been compressed into the format called MrSID can also be used in WildCAD.

List the GIS layers you want displayed within WildCAD on this screen.


You may specify an "Outline Color" to be shown on WildCAD's map. You may also specify a "Layer Show" parameter. If you do, the layer will not be displayed until you have "zoomed in" that many times. In this example, the PLSSQF11 layer will remain invisible (until we zoom in 999 times!). Sequence determines the order in which your GIS layers will be loaded.

Enter a DisplayName and a DisplayField if you want information from that layer to be displayed on the map every time you click on the map. In the example below, "DPA" information will be displayed, and WildCAD will collect that information from a field in the shapefile called "code3".



LayerTypeID	FileName (Including .SHP, .TIF, or .SID)	OutlineColor	LayerShow	Sequence	DisplayName	DisplayField
SHAPE	resp.shp	Red				
SHAPE	plssqf11.shp		999	20		
SHAPE	sra_u11.shp		999	10	DPA	code3
SHAPE	disploc.shp	Blue	3	20		
IMAGE	sqthume.sid			10		
*						

### ***Build Shape Files***



WildCAD has the ability to create several ArcView format Shape Files.

To create the Shape File, use the appropriate menu item. The newly-created Shape Files will be added to your list of Map Layers.

#### **Build Place Names Shape File**

**Sys Admin => Maps => Build Shape Files => Build PLACNAME.SHP**



#### **Build VOR Shape File**

**Sys Admin => Maps => Build Shape Files => Build VOR.SHP**





### Build Dispatch Locations Shape File


Sys Admin => Maps => Build Shape Files => Build DISPLCO.SHP






### Shape File from Text File

Sys Admin => Maps => Build Shape Files => Build Shape File from Text File

Navigate to a text file (.txt or .csv) containing point data, and – as long as there are columns titled “LAT” and “LON” or “LATITUDE” and “LOGITUDE”, WildCAD will build a shape file for you and place it in your WildCAD Base Computer’s \GIS\ folder. You will still need to add it to your Layer List using “Specify GIS Layer”.






### Build Milepost Shape File

**Sys Admin => Maps => Build Shape Files => Build MILEPOST.SHP**



If you imported Mile Posts, you can prepare a shape file from that data:



### Build Incident Shape File

**Sys Admin => Maps => Build Shape Files => Build INCIDENT.SHP**


The last type of shape file you can build from within WildCAD will contain your Incidents. Choose to include All incidents, or those within a specified date range:



### Build Hazard Shape File


**Sys Admin => Maps => Build Shape Files => Build Hazard.SHP**

WildCAD can build a shape file of any Hazards you have entered into WildCAD.



### Place Names

Sys Admin => Maps => Place Names




Dispatchers will be able to find locations in WildCAD by using a list of "Place Names". System Administrators create and edit this list.

The screenshot shows the 'Place Names' window, which is a table with three columns: 'Describe', 'Lat', and 'Lon'. The table contains 20 rows of data, each representing a location with its name and coordinates. The window has a standard Windows-style title bar and a scroll bar on the right.

Describe	Lat	Lon
Alta East Branch Canal [CA-Tulare]	36.5603	119.2803
Arnett Spring [CA-Tulare]	36.6181	119.1586
Ash Spring Mountain [CA-Tulare]	36.5919	119.0683
Aspen Hollow Campground [CA-Fresno]	36.7797	118.9017
Aspen Hollow Campground [CA-Fresno]	36.7806	118.9042
Aster Lake [CA-Tulare]	36.6028	118.6778
Auckland [CA-Tulare]	36.5881	119.1058
Auckland Ranch [CA-Tulare]	36.5869	119.1206
Azalea Campground [CA-Fresno]	36.7417	118.965
Bacon Meadow [CA-Tulare]	36.7308	118.9147
Badger [CA-Tulare]	36.6314	119.0122
Badger Creek [CA-Tulare]	36.6183	118.9997
Badger Fire Control Station [CA-Tul]	36.6483	119.0136
Baker and Hall Airport [CA-Fresno]	36.7175	119.1369
Baker Mountain [CA-Fresno]	36.7106	119.1436
Baker Ranch [CA-Fresno]	36.7189	119.1356
Balch Afterbay 95-002 Dam [CA-Fresn]	36.9067	119.1
Balch Camp [CA-Fresno]	36.9031	119.1222
Balch Camp Helipoint [CA-Fresno]	36.9061	119.1196

In addition, you may add place names from the WildCAD map itself.




From the map, click the “Find” button to open up the Find Map Location Screen. Click on the spot on the map where you want the new location to be stored. Or, “Find” a lat/lon. Then, enter the new name for the placename, and click “Add PlaceName”.

You may also edit the lat/lon for an existing place name from the map. “Find” the place name, click on the correct map location, and then click “Update PlaceName”.

## Map Locations (VOR/ATB/Lookouts)

Sys Admin => Maps => Location (VOR/ATB/Lookouts)




Edit or add VORs, Airtanker Bases, Lookouts or Helibases using this screen.

Locations									
LocationCode	Describe	Lat	Lon	Decl	VOR	ATB	Lookout	Helibase	
ALM	ALMA HELIBASE	37.16667	121.9833	16.4	FALSE	FALSE	FALSE	TRUE	
APL	APPLE VALLEY HELIBASE	34.58333	117.1667	14.5	FALSE	FALSE	FALSE	TRUE	
ARG	ARROYO GRANDE HELIBASE	35.2	120.4167	16	FALSE	FALSE	FALSE	TRUE	
AMH	ASH MT HELIBASE	36.571	118.825	15	FALSE	FALSE	FALSE	TRUE	
BAD	BALD MOUNTAIN HELIBASE	38.15	120.0833	17.1	FALSE	FALSE	FALSE	TRUE	
BSL	BASELINE HELIBASE	37.925	120.53	17	FALSE	FALSE	FALSE	TRUE	
BAM	BATTLE MOUNTAIN	40.59834	116.8733	18	FALSE	TRUE	FALSE	FALSE	
BAT	BAUTISTA HELIBASE	33.62667	116.8117	14	FALSE	FALSE	FALSE	TRUE	
BVH	BEAR VALLEY HELIBASE	36.571	121.1882	15	FALSE	FALSE	FALSE	TRUE	
BBR	BIEBER HELIBASE	41.11666	121.1333	18.6	FALSE	FALSE	FALSE	TRUE	
BHL	BIG HILL HELIBASE	38.85	120.4333	17.4	FALSE	FALSE	FALSE	TRUE	
BIH	BISHOP AIRPORT	37.36666	118.3667	15	FALSE	TRUE	FALSE	FALSE	
BGS	BOGGS MOUNTAIN HELIBASE	38.83333	122.7167	17.7	FALSE	FALSE	FALSE	TRUE	
BRG	BRIDGEPORT HELIBASE	38.25	119.3	16.4	FALSE	FALSE	FALSE	TRUE	
BUR	BURBANK AIRPORT	34.2	118.35	15	FALSE	TRUE	FALSE	FALSE	
CAR	CARSON CITY HELIBASE	39.19167	119.7233	15	FALSE	FALSE	FALSE	TRUE	

## Hazards


Sys Admin => Maps => Hazards





## WildCAD 5.0.8 System Administrator Guide

Add any hazards you want brought to the attention of Dispatchers whenever they manage an Incident within a specified number of miles of the hazard.




	Describe	Lat	Lon	AlertMiles
	Power Line	36.7566	119.1642	5
*				

## IMPORTS


### Configure ALDS Lightning

Sys Admin => Imports => Setup ALDS Lightning Imports



To create the criteria for the Lightning download, enter you current UserName and Password, remember this has to be changed at the same time you change the Password in the BLM Lightning system.

- Enter the Lat/Longs for the area
- Enter the Number of days data to retrieve (10 days Max)
- Enter Number of hours of data to display.
- Enter the number of hours your center is behind Greenwich Mean Time. (PST is 8 hours behind)




The screenshot shows the 'Lightning' window with the following fields and values:

- Login To BLM Lightning System:
  - UserName: BBOOHER
  - Password: xxxxxxxx
- Desired Location (decimal degrees):
  - N Lat: 37.0
  - E Lon: 116.2
  - W Lon: 119.5
  - S Lat: 30.0
- Time Frame:
  - Retrieve How Many Days: 20
  - Maximum Hrs To Display (1-200): 200
  - # of Hours Behind GMT: 6



### Import USGS Place Names

Sys Admin => Imports => Import USGSPlace Names



Include with the program is a file "USGSPlaces.mdb" that is installed in the Wildcad folder.

To extract the Place Names for your unit enter the Northwest and Southeast Lat/Long's and hit the import button. If you have entered Placenames manually then do not select the Delete button. You only need to do this one time for your dispatch center.









### ***Import USGS Place Names with Decimal Lat/Long***

**Sys Admin => Imports => Import USGSPlace Names with Decimal Lat/Long**

Used to import Place Names from an ASCII csv file with Name, Lat, Lon.




```
Name,Lat,Lon
Stewart Mountain (Cherokee),34.987581,-84.294087
Ace Creek (Swain),35.582321,-83.266262
Adams Hollow (Swain),35.523977,-83.794619
Aden Branch (Swain),35.598152,-83.399324
Aiken Branch (Swain),35.460085,-83.921291
Allen Cemetery (Ashe),36.438734,-81.661777
Anderson Creek (Cherokee),35.148969,-84.203528
Anthony Branch (Swain),35.543426,-83.588777
Antioch Cemetery (Watauga),36.246793,-81.832057
Antioch Baptist Church (Watauga),36.246515,-81.828446
Apalachia Dam (Cherokee),35.167828,-84.295337
```




## Download RAWS Stations

## Sys Admin => Imports => Download RAWs Stations



Use the Download RAWs Stations to define an area to extract the RAWs station information. Enter a Lat/Long of the center of your dispatch area and the degrees from that point you want to extract. The current list will be deleted and rebuilt from the import.



**Retrieve Updated RAWs Station List**

Use this routine to retrieve an updated list of RAWs Stations from the Bighorn server.

Point in approximate center of area:


North Latitude (degrees only):

West Longitude (degrees only):


Obtain Stations for how many degrees (lat/lon) from the above point:

Degrees:

OK




**WILDCAD**

 OK to erase all Stations, and rebuild list?



Yes No

## Download Updated VOR List

Sys Admin => Imports => Download Updated VOR List




To create a VOR table that has more site specific data enter the Lat/Long and degrees. This will create a list of all the VOR's within the selected area. The data will display in the Dist/Bearing and the Aircraft tabs of the Incident screen



### ***Import Mile Post Information***


**Sys Admin => Imports => Import Mile Post Information**



You may import Mile Post information into WildCAD, but the source data must be in a precise format, a .csv file with 4 entries per row:



1. Street name
2. Milepost number
3. Decimal latitude
4. Decimal longitude

Navigate to your .csv file, and click "Open".



## WildCAD 5.0.8 System Administrator Guide

You can direct WildCAD to delete any existing Mile Posts prior to importing from this file.



## INFORMATION SHARING

### WildWeb

Sys Admin => Information Sharing => WildWeb



To display your Incident information on WildWeb, check the box indicating the current workstation runs WildWeb. The workstation must be on to be able to upload the data to the WildWeb server. The remote address is preinstalled, if you have an Intranet site you want to use, enter the URL, FTP UserName, and Password. Select how you want information to show on WildWeb, and select the Fields to be shown.

A screenshot of the 'WildWeb' configuration dialog box. The dialog has a title bar with the 'WildWeb' icon and a close button. It contains several sections: 'Send Information To:' with 'Local' and 'Remote' checkboxes and input fields for IP/Address, Dir, User Name, and Password; 'This Workstation Runs WildWeb' checkbox; 'Available Information to Display' and 'Selected to Display' lists with arrows between them; a 'Sort Resources on Resource Status Page By:' section with radio buttons for 'ID' and 'Home Dispatch Location'; and a 'Display Selected Whiteboard Categories on WildWeb (CAUTION)' checkbox. The 'Remote' checkbox is checked, and the 'This Workstation Runs WildWeb' checkbox is also checked. The 'Selected to Display' list contains: Date/Time, Inc#/Fiscal, Name, Type, Location, WebComment, and Acres. The 'Sort Resources' section has 'ID' selected.

## WildShare

### Resources to View

Sys Admin => Information Sharing => WildShare => Resources to View



The screenshot shows the 'WildShare Resources to View' window. It contains a table with two columns: 'Share ID' and 'Sequence'. The table lists several share IDs and their corresponding sequence numbers. A mouse cursor is pointing at the 'CA-SQF-H522' row.

Share ID	Sequence
CA-SQF-ENG51	
CA-SQF-ENG52	
CA-SQF-H522	
CAFKUAT100	
CASQFT01	
CRW3SQF	30
ENG31SQF	10
ENG32SQF	20
H522SQF	60
PRV31SQF	40
PRV32SQF	50
*	

### Center to View

Sys Admin => Information Sharing => WildShare => Center to View

The screenshot shows the 'WildShare Centers to View' window. It contains a table with one column: 'CenterCode'. The table lists the center code 'CA-BIS'. A mouse cursor is pointing at the 'CA-BIS' row.


CenterCode
CA-BIS
*



## DATABASE MANAGEMENT

### *Auto Backups*


Sys Admin => Database Management => Auto Backups



This allows you to select an automatic backup schedule to be utilized on the current workstation. The backup file is created in c:\wcadtemp of the workstation running the backup, with this format "WildCAD Backup 2010 03 11 0839 hrs.mdb". Only eight backups will be stored - as the most recent is created the oldest will be deleted. Select the radio button for the schedule you desire. This should be activated on your busiest workstation which must be "on" for the backups to work.


To restore your data:

- We recommend asking Bighorn for assistance prior to restoring a backup.
- Make a copy of the most recent backup file and rename it to "WildCAD.mdb"
- Copy this file into the C:\WILDCAD" folder, after renaming the old file.
- Restart WildCAD




## ***Repair and Compact Database***

**Sys Admin => Database Management => Repair and Compact Database**




This routine should be run once per month or more frequently if you view a lot of lightning data (ALDS), to reduce the size and increase the speed of your database. It is recommended that you perform this action after doing backups.




### Validate NWCG Unit IDs

Sys Admin => Database Management => Validate NWCG Unit IDs



This allows you to select an automatic check to see if your Unit IDs are validated by NWCG Standards. Please run this report, and fix any missing or invalid entries.



The file UnitsIDs.pdf is created on the local workstation in the current user's standard windows file structure.



```
UnitIDs in WildCAD:

Official UnitID for the Center: CABIS
CABIS not in UnitID list.

UnitIDs for Units Managed By the Center:
FKU, UnitID = ***MISSING***
INF, UnitID = CABNF: Inyo National Forest, GACC: SO
KNP, UnitID = ***MISSING***
SNF, UnitID = ***MISSING***
SQF, UnitID = CASQF: Sequoia National Forest, GACC: SO
TUU, UnitID = ***MISSING***
```

### ***Merge Databases***



**Sys Admin => Database Management => Merge Databases**



If you need to merge two WildCAD databases, please contact Bighorn for assistance.

### Archive


Sys Admin => Database Management => Archive




Use Archive to make a copy of your complete database and then archive (delete) data in the date range you specify from your main database.

### *Check for Newer Version of WildCAD*

Sys Admin => Database Management => Check for Newer Version of WildCAD



Use this menu item to check for the availability of a newer version of WildCAD, and optionally download it. Once downloaded, you will need to unzip the new WildCAD.exe, have all users exit from WildCAD, and replace your current WildCAD.exe with the new one.



## **TROUBLESHOOTING**

### **1 – You receive “Error 75”**

With Windows Admin rights, right-click on C:\WCADtemp folder and grant “Full Control” to All Users.

### **2 – WildWeb is not working**

On PC running WildWeb, check Sys Admin -> Information Sharing -> WildWeb to assure “This Workstation Runs WildWeb” and “Remote” are both checked. Make sure WildWeb.exe is located on WildCAD Base Computer in same folder as WildCAD.exe. Look for the blue arrow icon.

### **3 – You receive “Unlicensed Version”**

There is no WildCAD.mdb in the same folder as the WildCAD.exe you are running. You might be running the wrong WildCAD.exe.

### **4 – Backups are not working**

Check Auto Backups, and make sure a time is selected. Examine the C:\WCADtemp folder.

### **5 – You receive “Unrecognized Database Format”**

Your database is corrupt. Contact Bighorn, and start locating your most recent backup.

### **6 – A map layer does not show on the map**

Examine the pull down list on the map above the “New Inc” button. If the layer is not listed, it was invalid or could not be located. For shape files, look for .shp .shx and .dbf files in the GIS folder on the WildCAD Base Computer. Make sure all layers are in UTM and in the same UTM zone.

### **7 – When printing to PDF, the output is blank**

If a Forest Service PC, look for a “printer” called “FS PDF Write”. If it exists, it is in conflict with WildPDF. Two choices: 1) With Windows Admin, uninstall FS PDF Writer, reboot, and run SetupWildPDF again. 2) On File -> Preferences, change the “PDF” selection to “FS PDF Writer”.

### **8 – You receive other errors**

Check network speeds on Utilities -> Database Viewer -> DB Time. 100 or less is good.

**Make sure auto backups are running!**  
**“Compact and Repair” monthly – more often with lightning retrieval**  
**Insert “stats” before period in WildWeb url**